

CINRYZE ORDERS

PATIENT INFORMATION

Name: _____ DOB: _____ Height: _____ Weight: _____
 Address: _____ Phone: _____ Allergies: _____
 City, State, Zip: _____ Email: _____

REFERRAL STATUS

☐ New Referral

☐ Dose or Frequency Change

☐ Order Renewal

 Is this the first dose? ☐ Yes ☐ No, date of last infusion: _____

 Line type: ☐ PIV ☐ PICC ☐ Port ☐ Other

DIAGNOSIS AND ICD-10 CODE

☐ Hereditary Angioedema (Defects in the complement system)

ICD-10 Code: _____

☐ Diagnosis: _____

ICD-10 Code: _____

REQUIRED DOCUMENTATION

☐ This signed order form by the provider

☐ H&P and Clinical/Progress notes supporting primary diagnosis

☐ Patient demographics AND insurance information

☐ Labs and Tests supporting primary diagnosis

List Tried & Failed Therapies:

- 1)
- 2)
- 3)

MEDICATION ORDERS

Dosing

☐ Cinryze 1000 units IV over 1 mL/min every 3 to 4 days as directed for prophylaxis of HAE attacks

☐ Cinryze _____ units IV over 1 mL/min every _____ days as directed for prophylaxis of HAE attacks

☐ Round to nearest available vial size

 Refills: ☐ X 6 months ☐ X 1 Year ☐ Other: _____

☐ RN to manage VAD per company protocol and administer ordered therapy per manufacturer guideline

☐ RN to access/start and deaccess/discontinue VAD as appropriate for therapy administration

☐ RN to flush and lock VAD/CVAD per company protocol

Other: _____

PREMEDICATION ORDERS

☐ Acetaminophen 650mg PO prior to infusion

☐ Other: _____

☐ Diphenhydramine 25mg PO prior to infusion

☐ Other: _____

EMERGENCY MEDICATIONS

☐ Administer the following medications as needed for infusion-related reactions per company protocol:

Adults (weight >40kg):

Diphenhydramine 25mg-50mg PO

Diphenhydramine 25mg-50mg slow IV push over 2-5 mins

Acetaminophen 325mg-650mg PO

Methylprednisolone 125mg slow IV push over at least 5 mins as tolerated

Epinephrine 0.3mg IM/SQ, may repeat x1

Sodium chloride 0.9% 500ml over 30-60 mins, may repeat x1 if hypotensive

Oxygen 1-6LPM continuous flow per nasal cannula or face mask, titrate to maintain SpO2 of 95-100% (AIC/AIS only)

Pediatrics (weight <40kg): (may adjust with weight changes)

Diphenhydramine 25mg PO

Diphenhydramine 25mg slow IV push over 2-5 mins

Acetaminophen 325mg PO

Methylprednisolone 40mg slow IV push over at least 5 mins as tolerated

Epinephrine 0.15mg (<30kg) or 0.3mg (>30kg) IM/SQ, may repeat x1

Sodium chloride 0.9% 500ml over 30-60 mins, may repeat x1 if hypotensive

PRESCRIBER INFORMATION

Prescriber Name: _____ NPI Number: _____

Office Phone: _____ Office Fax: _____

Prescriber Signature: _____ Date: _____