BIG SKY IV CARE
Infusion Pharmacy & Nursing
An Access Infusion Care Company

MIRIKIZUMAB-MRKZ ORDERS (Omvoh)

REFERRAL CHECKLIST
Please ensure the following information is included with your referral:
☐ Patient Demographics and Contact Information
☐ Patient Insurance Information
☐ Completed H&P and Progress Notes Including Medications and Allergies
☐ Recent Lab Results/Testing/Screenings Supporting the Diagnosis
☐ CBC w/diff/CMP/TB screening results
☐ Completed and signed referral
Including this information will minimize delays with prior authorizations and ensure timely treatment for your patient. Thank you!

©Big Sky IV Care

BIG SKY IV CARE
Infusion Pharmacy & Nursing
An Access Infusion Care Company

MIRIKIZUMAB-MRKZ ORDERS (Omvoh)

PATIENT INFORMATION	PRESCRIBER INFORMATION
Patient Name:	Prescriber Name:
Address:	NPI:
City, State, Zip:	Address:
Cell: Email:	City, State, Zip:
Ht: Wt: kg Last 4 of SSN: DOB:	Phone: Fax:
Allergies:	Contact Person:

REFERRAL STATUS ☐ New Referral ☐ Continuation Order ☐ Dose or Frequency Change	
First dose? ☐ Yes ☐ No - Date of last treatment:	Line type: ☐ PIV ☐ PICC ☐ Port ☐ Other

DIAGNOSIS
☐ Dx code/description:

REQUIRED DOCUMENTATION ☐ Signed order ☐ Demographics/insurance info ☐ H&P/labs/tests/progress notes supporting the Dx	
Prior Therapies:	
☐ LFT and Bilirubin levels:	☐ TB Screening: ☐ Positive ☐ Negative-Date:

PRESCRIBING INFORMATION

LAB ORDERS

Frequency: Every Labs: ☐ CMP ☐ CBCwdif ☐ Other:

MEDICATION

Medication	Strength	Dose/Directions	Quantity
☒ **Mirikizumab-mrkz (Omvoh)**	300mg/15mL	**Induction:** ☐ UC Dosing: 300mg at week 0, 4, and 8 ☐ CD Dosing: 900mg at week 0, 4, and 8 Infuse in 100ml/250ml 0.9%NS over 30 minutes (300mg) or 90 minutes (900mg)	☐ 3 vials ☐ 9 vials Refills: none
	100mg/mL PFS 200mg/2mL PFS	**Maintenance:** ☐ UC dosing: 200mg at week 12, then every 4 weeks ☐ CD dosing: 300mg at week 12, then every 4 weeks Inject subcutaneously (1 or 2 consecutive injections depending on dose)	☐ PFS sufficient for dose Refills:

If not specified, order will be valid for 1 year from the date of signature.

NURSING INSTRUCTIONS/EMERGENCY MEDICATION

RN to manage VAD per company protocol and administer ordered therapy per manufacturer guidelines Post-Infusion:Use 50ml0.9%NS to flush residual priming volume	PIV:Flush 3-10mL0.9%NS before/after PICC/Midline/Port:Flush 10mL0.9%NS before/after, then 3mLHeparin 10u/mL(PICC/Midline)/ 5mLHeparin 100u/mL(Port) final

Administer the following medications as needed for infusion-related reactions per company protocol:
Adults>40kg: Diphenhydramine25-50mgPO or IVP(2-5min); Acetaminophen325-650mgPO; Methylprednisolone125mgIVP(≥5min); Epinephrine0.3mgIM/SQ, may repeat×1; 0.9%NS500mL IV over 30-60min, may repeat×1 for hypotension.
Pediatrics/Adults<40kg: Diphenhydramine25mgPO or IVP(2-5min); Acetaminophen325mgPO; Methylprednisolone40mgIVP(≥5min); Epinephrine0.15mg(<30kg)/0.3mg(>30kg)IM/SQ, may repeat×1; 0.9%NS500mL IV over 30-60min, may repeat×1 for hypotension.
Oxygen(AIC/AIS only):1-6L/min via NC/face mask; titrate to maintain SpO_2 95-100%.

Prescriber Signature X: _____ **Date:** _____

☐ **Product Substitution Permitted** ☐ **Dispense as Written**

©Big Sky IV Care
Print, complete, and fax completed form to (406) 752-0443